



CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Infinito®

SC FUNGICIDE

**ACTIVE CONSTITUENTS: 625 g/L PROPAMOCARB HYDROCHLORIDE
62.5 g/L FLUOPICOLIDE**

GROUP 28 | 43 FUNGICIDE

For the control of downy mildew, late blight and white blister in various crops as specified in the DIRECTIONS FOR USE table

DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply by aircraft

SPRAY DRIFT RESTRAINTS

DO NOT apply with spray droplets smaller than a **MEDIUM** spray droplet category as defined by the ASABE S572 Standard. Users **MUST ONLY USE** nozzles classified as suitable for delivering a **MEDIUM** spray droplet category according to the nozzle manufacturer's specifications.

DO NOT apply when wind speed is less than 3 or more than 20 km/h as measured at the application site.

DO NOT apply during surface temperature inversion conditions at the application site.

Users of this product **MUST make an accurate written record** of the details of each spray application within 24 hours following application and **KEEP** this record for a minimum of 2 years. The spray application details that must be recorded are: **1.**date and start and finish times of application; **2.**location address and paddock/s sprayed; **3.**full name of this product; **4.**amount used per hectare and number of hectares applied to; **5.**crop/situation and weed/pest; **6.**wind speed and direction during application; **7.**air temperature; **8.**nozzle brand, model and type and spray system pressure measured during application; **9.**name and address of person applying this product. (Additional record details may be required by the State or Territory where this product is used.)

CROP	DISEASE	RATE	WHP	CRITICAL COMMENTS
Brassica vegetables	White blister (<i>Albugo candida</i>)	1.6 L/ha	Nil (H)	Apply as a protectant program with a maximum of 3 applications per crop. Commence when conditions favour disease development e.g. humid or wet conditions. Apply before first sign of infection and repeat at 7-10 day intervals. A non-ionic wetting agent e.g. Agral® 600 should be added at 10 mL/100 L of spray solution.
	Downy mildew (<i>Peronospora parasitica</i>)	1.2 - 1.6 L/ha		Apply as a protectant program with a maximum of 3 applications per crop. Commence when conditions favour disease development - humid or wet conditions - and repeat at 7-10 day intervals. Apply the high rate under conditions of high infection pressure. A non-ionic wetting agent e.g. Agral 600 should be added at 10 mL/100 L of spray solution.



CROP	DISEASE	RATE	WHP	CRITICAL COMMENTS
Bulb vegetables	Downy mildew (<i>Peronospora destructor</i>)	1.2 - 1.6 L/ha	7 days (H)	<p>Apply as a protectant program with a maximum of 3 applications per crop. Commence when conditions favour disease development - humid or wet conditions. Apply before first sign of infection according to mildew infection periods or local warnings and repeat at 7-10 day intervals. Apply the high rate under conditions of high infection pressure.</p> <p>A non-ionic wetter e.g. Agral 600 should be added at 10 mL/100 L of spray solution.</p> <p>Resistance Management This use pattern is subject to a CropLife Australia resistance management strategy. Please refer to this strategy at http://www.croplife.org.au/industry-stewardship/resistance-management/ before using the product.</p>
Cucumber (field and protected cropping systems)	Downy mildew (<i>Pseudoperonospora cubensis</i>)		1 day (H)	<p>Apply in a protectant program with a maximum of 2 applications per crop. Commence when conditions favour disease development - when humid or wet conditions favour infection. Apply before first sign of infection according to mildew infection periods or local warnings and repeat at 7-10 day intervals. Apply the high rate under conditions of high infection pressure.</p> <p>No wetter is required.</p> <p>Resistance Management This use pattern is subject to a CropLife Australia resistance management strategy. Please refer to this strategy at http://www.croplife.org.au/industry-stewardship/resistance-management/ before using the product.</p>
Cucurbits except cucumber (field and protected cropping systems)			3 days (H)	
Leafy vegetables (including brassica leafy vegetables) (excluding lettuce) (field and protected cropping systems)	Downy mildew (<i>Peronospora farinosa</i> and <i>Peronospora parasitica</i>)		7 days (H)	<p>Apply as a protectant program with a maximum of 3 applications per crop. Commence when conditions favour disease development - humid or wet conditions - and repeat at 7-10 day intervals. Apply the high rate under conditions of high infection pressure.</p>
Lettuce (field and protected cropping systems)	Downy mildew (<i>Bremia lactucae</i>)			<p>Apply as a protectant program with a maximum of 3 applications per crop. Commence when conditions favour disease development - humid or wet conditions. Apply before the first sign of infection according to mildew infection periods or local warnings, repeat at 7-10 day intervals. Apply the high rate under conditions of high infection pressure.</p> <p>No wetter is required.</p> <p>Resistance Management This use pattern is subject to a CropLife</p>



CROP	DISEASE	RATE	WHP	CRITICAL COMMENTS
Lettuce <i>Continued</i>				Australia resistance management strategy. Please refer to this strategy at http://www.croplife.org.au/industry-stewardship/resistance-management/ before using the product.
Poppies	Downy mildew (<i>Peronospora cristata</i> , <i>Peronospora meconopsidis</i>)	1.2 - 1.6 L/ha	- (H)	Apply as a protectant program with a maximum of 3 applications per crop. Commence when conditions favour disease development - humid or wet conditions. Apply before first sign of infection according to mildew infection periods or local warnings and repeat at 7-10 day intervals. Apply from ground cover crop stage until the start of flowering. Apply the high rate under conditions of high infection pressure. No wetter is required. Resistance Management This use pattern is subject to a CropLife Australia resistance management strategy. Please refer to this strategy at http://www.croplife.org.au/industry-stewardship/resistance-management/ before using the product.
Potatoes	Late blight (<i>Phytophthora infestans</i>)		14 days (H)	Apply as a protectant program with a maximum of 2 applications per crop. Commence when conditions favour disease development - when humid or wet conditions favour infection. Apply according to late blight infection periods or local warnings and before first sign of infection and repeat at 7-10 day intervals. In the absence of any warnings, applications should commence when the crop meets along the row. Apply the high rate under conditions of high infection pressure. No wetter is required. Resistance Management This use pattern is subject to a CropLife Australia resistance management strategy. Please refer to this strategy at http://www.croplife.org.au/industry-stewardship/resistance-management/ before using the product.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS

Harvest -

Poppies: NOT REQUIRED WHEN USED AS DIRECTED

Brassica vegetables (excluding brassica leafy vegetables): NIL

Cucumbers: DO NOT HARVEST FOR 1 DAY AFTER LAST APPLICATION

Cucurbits (except cucumber): DO NOT HARVEST FOR 3 DAYS AFTER LAST APPLICATION

Bulb vegetables, leafy vegetables (including brassica leafy vegetables and lettuce): DO NOT HARVEST FOR 7 DAYS AFTER LAST APPLICATION

Potatoes: DO NOT HARVEST FOR 14 DAYS AFTER LAST APPLICATION

Grazing -

Kale: DO NOT GRAZE OR CUT FOR STOCKFEED

EXPORT OF TREATED PRODUCE

Growers should note that suitable MRLs or import tolerances may not exist in all markets for produce treated with Infito. If you are growing produce for export, please check with Bayer CropScience Pty Ltd for the latest information on MRLs and import tolerances and for advice on any potential trade issues and their management.

GENERAL INSTRUCTIONS

Infito SC Fungicide is a member of the 28 and 43 group of fungicides. Infito is a co-formulation of two complimentary active ingredients - fluopicolide and propamocarb hydrochloride - which together provide anti-sporulant, protectant, translaminar and systemic activity.

Application

Application should be by ground spray equipment only. Thorough coverage of the target area is essential. Apply as a high volume, medium droplet spectra spray at a water volume appropriate to the crop stage to ensure good coverage e.g. 200 – 600 L/ha. Apply in sufficient water, and using suitable application parameters (nozzles, pressure, speed, etc.) to ensure thorough and even coverage. Adjust water volumes according to the crop growth stage. Use only a medium spray droplet size classification according to ASAE S572 definition for standard nozzles.

Dilute Spraying

- ◆ Use a sprayer designed to apply high spray volumes, up to the point of run-off and matched to the crop being sprayed.
- ◆ Set up and operate the sprayer to achieve even coverage throughout the crop canopy. Apply sufficient water to cover the crop to the point of run-off. Avoid excessive run-off. e.g. 200 – 600 L/ha.
- ◆ The required spray volume may be determined by applying different test volumes, using different settings on the sprayer, or from industry guidelines or expert advice.
- ◆ Add the amount of product specified in the Direction for Use table for each hectare volume of water.
- ◆ The required dilute spray volume will change and the sprayer set up and operation may also need to be changed, as the crop grows.

FUNGICIDE RESISTANCE WARNING

GROUP	28	43	FUNGICIDE
-------	----	----	-----------

For fungicide resistance management Infito is a Group 28 and 43 fungicide. Some naturally occurring fungal populations resistant to the product and other Group 28 and 43 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product or other Group 28 and 43 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that result from failure of Infito to control resistant fungi.

Infito may be subject to specific resistance management strategies. For further information refer to the CropLife Australia website.

COMPATIBILITY

For the latest compatibility recommendations contact the Bayer Crop Science Technical Enquiry Hotline 1800 804479 or your local Bayer Crop Science representative.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product. Do not re-use empty container for any other purpose.



SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes. If product in eyes wash it out immediately with water. Repeated exposure may cause allergic disorders. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat and elbow length chemical resistant gloves and face shield. Wash hands after each use. After each day's use, wash gloves and faceshield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone: Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from www.crop.bayer.com.au.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Infito® is a Registered Trademark of the Bayer Group.

APVMA Approval No.: 80625/113230

FOR 24 HOUR SPECIALIST ADVICE
IN EMERGENCY ONLY
PHONE 1800 033 111

GHS STATEMENTS

- May cause an allergic skin reaction.
- Avoid breathing spray mist. •IF ON SKIN: Wash with plenty of soap and water. •If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet



Infinito® SC Fungicide

Version 0 / AUS
102000011064

1/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Infinito® SC Fungicide
Product code (UVP) 06373046

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888

Telefax (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.crop.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Propamocarb hydrochloride
Fluopicolide

Signal word: Warning

Hazard statements

H317 May cause an allergic skin reaction.



Infito® SC Fungicide

Version 0 / AUS
102000011064

2/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

Precautionary statements

- P261 Avoid breathing mist and spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Propamocarb hydrochloride/Fluopicolide 625:62.5 g/l
Chemical nature Suspension concentrate (=flowable concentrate)(SC)

Chemical Name	CAS-No.	Concentration [%]
Propamocarb hydrochloride	25606-41-1	55.30
Fluopicolide	239110-15-7	5.53
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

- General advice** Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).
- Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
- Skin contact** Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
- Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:



Infinito® SC Fungicide

Version 0 / AUS
102000011064

3/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

Lethargy, Ataxia, Convulsions

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed

Risks This product, although being a carbamate, is NOT a cholinesterase inhibitor.

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote. Contraindication: atropine.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.



Infinito® SC Fungicide

Version 0 / AUS
102000011064

4/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Shower or bathe at the end of working. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Propamocarb hydrochloride	25606-41-1	1.1 mg/m ³ (TWA)		OES BCS*
Fluopicolide	239110-15-7	2.2 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated



Infinito® SC Fungicide

Version 0 / AUS
102000011064

5/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

General protective measures In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	beige
Odour	ester-like
Flash point	Not relevant; aqueous solution
Ignition temperature	420 °C
Density	ca. 1.13 g/cm ³ at 20 °C
Water solubility	dispersible
Partition coefficient: n-octanol/water	Propamocarb hydrochloride: log Pow: -1.2 Fluopicolide: log Pow: 2.9 at pH 7
Viscosity, dynamic	221 mPaxs at 20 °C Velocity gradient 20 /s
Surface tension	31 mN/m at 20 °C Determined as a 1% solution in distilled water.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113



Infinito® SC Fungicide

Version 0 / AUS
102000011064

6/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,500 mg/kg

Acute inhalation toxicity LC50 (Rat) > 3.195 mg/l
Exposure time: 4 h
Highest attainable concentration.
Determined in the form of a respirable aerosol.

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation No eye irritation (Rabbit)

Sensitisation Sensitising (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment mutagenicity

Propamocarb hydrochloride was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Fluopicolide was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Propamocarb hydrochloride was not carcinogenic in lifetime feeding studies in rats and mice. Fluopicolide caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.



Infito® SC Fungicide

Version 0 / AUS
102000011064

7/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

Assessment toxicity to reproduction

Propamocarb hydrochloride did not cause reproductive toxicity in a two-generation study in rats.
Fluopicolide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Propamocarb hydrochloride caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Propamocarb hydrochloride are related to maternal toxicity.
Fluopicolide did not cause developmental toxicity in rats and rabbits.

Assessment STOT Specific target organ toxicity – repeated exposure

Propamocarb hydrochloride did not cause specific target organ toxicity in experimental animal studies.
Fluopicolide did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

May be harmful if inhaled.
May cause skin irritation. Skin sensitiser.
May cause eye irritation.
Harmful if swallowed.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 6.6 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates LC50 (Daphnia magna (Water flea)) > 100 mg/l
Exposure time: 48 h



Infinito® SC Fungicide

Version 0 / AUS
102000011064

8/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) > 100 mg/l
Growth rate; Exposure time: 72 h

EC50 (Navicula pelliculosa (Freshwater diatom)) 0.63 mg/l
Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Propamocarb hydrochloride:
rapidly biodegradable
Fluopicolide:
Not rapidly biodegradable

Koc Propamocarb hydrochloride: Koc: 719
Fluopicolide: Koc: 321

12.3 Bioaccumulative potential

Bioaccumulation Propamocarb hydrochloride:
Does not bioaccumulate.
Fluopicolide: Bioconcentration factor (BCF) 121
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Propamocarb hydrochloride: Slightly mobile in soils
Fluopicolide: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Refillable containers:
If tamper evident seals are broken prior to initial use then the integrity of the contents cannot be assured. Empty container by pumping through dry-break connection system. Do not attempt to breach the valve system or the filling point, or contaminate the container with water or other products. Ensure that the coupler, pump, meter and hoses are disconnected, triple rinsed and drained after each use. When empty, or contents no longer required, return the container to the point of purchase. This container remains the property of Bayer CropScience Pty Ltd.
Metal drums and plastic containers:
Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.
Do not reuse container for any other purpose.

SECTION 14. TRANSPORT INFORMATION

ADG
UN number **3082**
Transport hazard class(es) **9**

Safety Data Sheet



Infinito® SC Fungicide

Version 0 / AUS
102000011064

9/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 80625

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Infinito® is a Registered Trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is



Infinito® SC Fungicide

Version 0 / AUS
102000011064

10/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

sent to our customers and is also available on request.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Safety Data Sheet



Infinito® SC Fungicide

Version 0 / AUS
102000011064

11/11
Revision Date: 14.12.2016
Print Date: 14.12.2016

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS